
DATA SHEET



After-hours HVAC scheduling made easy









OVERVIEW

7NOX gives your tenants the freedom to book after-hours air conditioning requests right from their smartphones and web browsers. 7NOX's automating billing process reduces errors from manual entries.

Works with:









Key Features



Automated Billing

Each month, you get a breakdown of every tenant's air conditioning usage and cost. No more manual entry or spreadsheets to manage.

Increased Savings

With scheduling automation, your team will spend fewer hours managing after-hours HVAC requests. That's less overhead costs for you.





Happier Tenants

Tenants love booking their own after-hours AC requests. No more 24-hour notices. Just schedule and go.

Greener Properties

By automating your AC scheduling, you won't be wasting power cooling unoccupied floors and buildings.





ADDED FEATURES

Integration



7NOX works seamlessly with all types of BMS hardware and software. No need to upgrade or make changes to your existing system.

White Labeling



We can design the 7NOX interface to display your branding, so your customers associate the benefits of using 7NOX with your company.

Compliance



Installing 7NOX is a fast and effective way to raise your NABERS building performance rating.

Customizable



We tailor 7NOX to meet your needs. Got an idea on how to improve 7NOX? We'd love to hear it! Your problem is our opportunity to become better at what we do.

Simple to Use



The 7NOX scheduling & billing app is intuitive, simple and easy to learn. You'll have your tenants using 7NOX like a pro in no time.


24/7 Support



Our BMS control technicians are available 24/7 to help with major outages. Our help desk can answer your questions Monday to Friday from 6 a.m. to 6 p.m.




SITE DEVICE SETUP





NIAGARA SETUP





TECHNICAL STUFF

NETWORK FIREWALL (SITE DEVICE)

Outbound Port (Router)

Source	Destination	Port	Description
7NOX	https://portal.7nox.com	443	Synchronize booking data

Inbound/Outbound (Local Network)

Source	Destination	Port	Description
7NOX	BACnet Controller	47808	After-hours point mapping
7NOX	NTP server	123	Time Synchronize

NETWORK FIREWALL (NIAGARA)

The firewall configuration is designed to enhance security by requiring only the outbound port to be open, typically aligning with network policies that permit HTTPS traffic. There is no need to open any inbound ports, which reduces potential vulnerabilities. All communication through the firewall uses the HTTPS port, ensuring encrypted and secure data transmission

Outbound Port (Router)

Source	Destination	Port	Description
7NOX	https://portal.7nox.com	443	Synchronize booking data



PRODUCT SPECIFICATIONS

Apple Operating System Version	Any Device able to access Apple App and running on IOS 11.2 +	
Android Operating System Version	Any device able to access Google Play store and running on Android 4.0.3 or newer	
Browser	Edge 127.x+, Firefox 129.0.2+, Chrome 127.0.3396.87+	
PC Monitor	1920 x 1080 (Recommended)	



Questions?

7nox.com/training info@opsyssolutions.com

